


Results of the EBVM polling questions


1. What are the barriers to EBVM?

	Beginning of symposium poll (n=128)	End of symposium poll (n=106)
We already do it	4%	8%
Too difficult to practice	2%	5%
Too time consuming	18%	9%
Not enough (high quality) evidence	37%	35%
Problems accessing evidence	21%	25%
Problems with funding research (independent studies/small size)	18%	18%




2. What do we need to do to practise EBVM?

	Beginning of symposium poll (n=121)	End of symposium poll (n=106)
Skills to interpret evidence	35%	25%
Accessible evidence	29%	35%
Practice-based research	32%	37%
Other	4%	3%




3. Whose responsibility is EBVM?

	End of symposium poll only (n=104)
Individual practitioners	13%
Universities – research and teaching	0%
Veterinary organisations	1%
Veterinary journals	0%
RCVS/RCVS Trust	4%
All of the above	82%




4. What should we call it?

	End of symposium poll only
EBM	11%
EVM	14%
EBVM	71%
EIVM	3%
Other	1%



5. What is required to take it forward?

	End of symposium poll only
Collect appropriate data	15%
Harness vets in practice	9%
Further educate vets in practice	24%
Champion EBVM at undergraduate level	9%
Provide more funding	7%
Promote dissemination of information	26%
Relevance of data	6%
Adopt EBVM principles in Code of Conduct	10%



6. I regard EBVM as a practical tool for the veterinary surgeon in general practice

	Beginning of symposium poll (n=125)	End of symposium poll (n=100)
0% agree	1%	3%
25% agree	6%	5%
50% agree	19%	6%
75% agree	30%	30%
100% agree	44%	56%

